

SPARSE ARRAY TECHNOLOGY FOR 3D SONAR IMAGING SYSTEMS



- Broadband Ultra-sparse Acoustic Arrays
- •Final planar array 225 elements over 256 λ x 256 λ area
- •Bandwidth: 30% of center frequency, F₀

JOHN IMPAGLIAZZO
NAVAL UNDERSEA WARFARE CENTER

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate of mation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis I	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 25 AUG 1999		2. REPORT TYPE N/A		3. DATES COVERED		
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER				
Sparse Array Technology for 3D Sonar Imaging Systems				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Undersea Warfare Cente				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited						
13. SUPPLEMENTARY NOTES DARPA, Air-Coupled Acoustic Microsensors Workshop held on August 24 and 25, 1999 in Crystal City, VA., The original document contains color images.						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	UU	6	RESPONSIBLE PERSON	

Report Documentation Page


Form Approved OMB No. 0704-0188





BROADBAND BEAMPATTERN


$$B(\Theta_{\mathcal{X}}, \Theta_{\mathcal{Y}}) = \left(\sum_{i=0}^{M-1} w_i \cos(2\pi F_O \tau_i) \frac{\sin(\pi \tau_i W)}{\pi \tau_i W}\right)^2$$








PROTOTYPE 1D ARRAY THEORETICAL BEAMPATTERN





PROTOTYPE 1D ARRAY ELEMENT LOCATIONS & WEIGHTS








PROTOTYPE SPARSE LINEAR ARRAY







ACOUSTIC TEST FACILITY

